

**e-STUDIO408P**  
**e-STUDIO478P**

## Product brochure

---

- > Reliable A4 monochrome printers to boost the efficiency of small and medium businesses and workgroups.
- > Print in high quality at a speed of up to 40/47 pages per minute respectively on a broad range of media.
- > Designed to meet the highest environmental standards the printers have a low energy consumption and save money and valuable resources.



# READY WHEN YOU ARE

For your day-to-day business you need a printer you can rely on and which delivers impeccable document output every time you print. Toshiba's e-STUDIO408P and e-STUDIO478P offer just that. With a print speed of 40 and 47 pages per minute (ppm) respectively and a fast first print output time these productive printers are ready when you need them.

Compatible with most operating systems the printers are easy to install and even easier to use. Thanks to their network capability and their mobile printing features the e-STUDIO408P and e-STUDIO478P are ideal for small- and medium-sized businesses and workgroups. And if needed, they can grow with your needs, e.g. by adding additional paper sources to increase the capacity. For more advanced functionality the e-STUDIO478P comes with a large range of further options, which will enhance your efficiency even more.

High-level security features are of course standard for the e-STUDIO408P and e-STUDIO478P and protect the devices from unauthorised access. Contact your local Toshiba partner to find out more about the amazing value these printers offer.



# CONFIGURATION



# SPECIFICATIONS

## General

|                                |  |
|--------------------------------|--|
| <b>Print Speed</b>             | 40/47 ppm  |
| <b>Warm-up Time</b>            | Approx. 9 seconds (from sleep mode)  |
| <b>Paper Size &amp; Weight</b> | A6-A4/custom, 60-120 g/m <sup>2</sup> (Cassette)<br>76x127 mm - 216x356 mm, 60-216 g/m <sup>2</sup> (Bypass)   |
| <b>Paper Capacity</b>          | <b>e-STUDIO408P:</b><br>1x 250 sheets (Cassette), 1x 100 sheets (Bypass)<br>Maximum 900 sheets<br><br><b>e-STUDIO478P:</b><br>1x 550 sheets (Cassette), 1x 100 sheets (Bypass)<br>Maximum 2,300 sheets |
| <b>Inner Output Tray</b>       | 150-sheet/250-sheet capacity   |
| <b>Automatic Duplex</b>        | A4/custom, 60-90 g/m <sup>2</sup>  |
| <b>Control Panel</b>           | <b>e-STUDIO408P:</b><br>2 line OLED display<br><br><b>e-STUDIO478P:</b><br>6 cm (2.4") Colour LCD panel  |
| <b>Memory</b>                  | Standard: 512 MB, Maximum: 512 MB  |
| <b>Interface</b>               | 10Base-T/100Base-TX/1000Base-T (incl. IPv6),<br>High Speed USB 2.0,<br>WLAN <sup>1)</sup> (IEEE802.11 ac/a/b/g/n 2x2 MIMO Wireless)  |
| <b>Dimension &amp; Weight</b>  | <b>e-STUDIO408P:</b><br>399 x 374 x 260 mm (W x D x H), ~ 14 kg<br><br><b>e-STUDIO478P:</b><br>399 x 374 x 303 mm (W x D x H), ~ 15.8 kg   |
| <b>Starter Kit</b>             | Starter cartridge with Toner and Imaging unit  |

## Print

|                                  |   |
|----------------------------------|---|
| <b>Resolution</b>                | Maximum 1,200 x 1,200 dpi   |
| <b>First Print Output Time</b>   | Approx. 6.25/6 seconds  |
| <b>Page Description Language</b> | PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation,<br>XPS, PPDS   |
| <b>Supported Systems</b>         | Windows 10/8/8.1/7<br>Windows Server 2016/ Server 2012/Server 2008<br>(32/64 bit),<br>Windows Server 2012 R2/Server 2008 R2 (64bit),<br>Mac OS X 10.6-10.11, Linux/Unix, Novell NetWare,<br>Citrix, SAP |
| <b>Mobile Printing</b>           | AirPrint, Mopria Print Service, Google Cloud Print  |
| <b>Print Functions</b>           | Universal Printer Driver, Multiple pages per sheet,<br>Envelope printing  |



## System & Security

|                                  |  |
|----------------------------------|--|
| <b>Device Management</b>         | e-BRIDGE Fleet Management System <sup>1)</sup>   |
| <b>System Features</b>           | Energy saving modes, Automatic toner saturation/<br>darkness adjustment  |
| <b>Accounting &amp; Security</b> | Private print, IP address filter, Port filter,<br>Support of SNMPv3, SSL and IPsec protocols,<br>802.1x authentication <sup>1/2)</sup> , Operator Panel Lock |

## Options

|   |   |
|---|---|
| <b>250-sheet Drawer</b>                 | 250-sheet capacity,<br>A5-A4, 60-120 g/m <sup>2</sup> |
| <b>550-sheet Drawer</b>                 | 550-sheet capacity,<br>A5-A4, 60-120 g/m <sup>2</sup> |
| <b>Swivel Cabinet</b>                   |   |
| <b>Adjustable Printer Stand</b>         |   |
| <b>User Flash Memory</b>                |   |
| <b>Wireless LAN Module<sup>2)</sup></b> |   |
| <b>Forms and Barcode Card</b>           |   |
| <b>PRESCRIBE Card<sup>2)</sup></b>      |   |
| <b>IPDS Card<sup>2)</sup></b>           |   |

<sup>1)</sup> Optional

<sup>2)</sup> e-STUDIO478P only



## About Toshiba Tec

Toshiba Tec Nordic is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

### Toshiba Tec Nordic

Frösundaleden 2  
169 70 Stockholm  
Sweden

### Telephone

+46 8 734 46 00

### Website

<https://se.toshibatec.eu>



**Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.**

**It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.**

**We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.**