

# TOSHIBA

**e-STUDIO5518A**

**e-STUDIO6518A**

**e-STUDIO7518A**

**e-STUDIO8518A**

## Product brochure

---

- Toshiba's high-volume A3 multifunctional systems for impeccable monochrome document output at a speed of up to 85 pages per minute.
- The Dual Scan Document Feeder with a paper capacity of up to 300 sheets is standard on all models and can process documents at an impressive speed of up to 240 images per minute.
- Equipped with all features and functions needed for modern document workflows, including cloud and mobile printing.



**TOGETHER  
INFORMATION**

# CONNECT. INTEGRATE. SIMPLIFY. AND MORE.

## Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information – efficiently and safely to maximise your productivity.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

## Faster, sleeker, and more volume than ever.

Toshiba's high-end A3 monochrome line-up looks great – inside and out. Along with an ultra-modern look, you'll also find innovative technology and crisp, clean monochrome output delivered at up to 85 pages per minute with an impressive 6,020-sheet maximum capacity.

- Print speeds of 55/65/75/85 pages per minute.
- Advanced Toshiba e-BRIDGE Next controller technology for easy integration into IT environments and customisation of workflows.
- Impeccable high-quality document output with a resolution of up to 1,200 dpi x 1,200 dpi.
- High-speed, high-capacity Dual Scan Document Feeder for amazing document processing.

# SIMPLE. SMART. AND STYLISH.

An intuitive 26 cm (10.1") tablet-style touch screen with an embedded web browser is easy to use and fully customisable to tailor settings and automise workflows – including the integration of third party solutions resulting in simple operation and improved efficiency. It is also part of the introduction of a bold new look of the new e-STUDIO series.



# HOW TOSHIBA IS RAISING THE STANDARD

Today's world requires successful businesses to have access to data and information even when on the move. The e-STUDIO8518A series easily integrates into cloud and mobile workflows. Thanks to the advanced e-BRIDGE Next controller technology you can even seamlessly integrate third-party solutions.

Our choice of embedded apps<sup>1)</sup> acknowledges the individual requirements of each business and gives you the flexibility to connect to the cloud-based application of your choice.

## Cloud Solution Apps

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox
- e-BRIDGE Plus for Google Cloud Print
- e-BRIDGE Plus for Google Drive
- e-BRIDGE Plus for OneDrive
- e-BRIDGE Plus for OneDrive for Business<sup>2)</sup>
- e-BRIDGE Plus for SharePoint Online<sup>2)</sup>
- e-BRIDGE Plus for Exchange Online<sup>2)</sup>

## Workflow Solution Apps

- e-BRIDGE Plus for Barcode Scan
- e-BRIDGE Plus for USB Storage
- e-BRIDGE Plus for Green Information

To ensure you have the perfect fit, our team of software developers can create customised apps for you.

<sup>1)</sup> Availability of apps may vary from country to country.

<sup>2)</sup> Embedded app for Microsoft Office 365.

## Responsibility For the Planet

Toshiba is committed to people and committed to the future. This means that in order to build a sustainable society, we make every effort to minimise the impact on the environment by giving top priority to the conservation and protection of the world's natural resources – in every business process and product. Therefore, the e-STUDIO8518A series has also been equipped with various environmentally friendly features:

- Equipped with a low-power, super sleep mode the systems save money and natural resources.
- The e-STUDIO8518A series meets the latest, most stringent environmental requirements.
- Via the e-BRIDGE Plus Green Information app the environmental achievements are displayed directly on the MFP to encourage the use of eco settings.

## Security For Your Business

Toshiba is a leading provider of information technology and protecting data has always had utmost priority for us. So, of course, the e-STUDIO8518A series comes with state-of-the-art security features, such as the self-encrypting Toshiba Secure HDD. By making full use of all the methods offered to protect personal data you can ensure that any information processed on the MFP is safe.



# FEATURES. BENEFITS. AND MORE.

Improve your workgroup connection with the Toshiba's e-STUDIO05518A series. Integrate and simplify your workflows while improving efficiency with superb image quality at unprecedented volumes.

**Reliable High Speeds** include 55/65/75/85 monochrome pages per minute.

**Advanced e-BRIDGE Next Technology** enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

**Toner Change On-The-Fly** allows you to replace toner cartridges, even while the MFP is printing.

**Embedded Optical Character Recognition (OCR)** simplifies the creation of searchable PDFs and editable document formats such as Microsoft Word.

**Mobile Printing** gives you full flexibility and lets you easily connect to mobile devices via AirPrint, Google Cloud Print or Mopria Print Service.

**Wi-Fi Direct** offers the possibility of on-demand connection. Add to this the Toshiba e-BRIDGE Print & Capture app and you get even more flexibility as it not only lets you print from but also scan to your mobile device.

**Scan to USB** is great for working with your documents when on the go. With the possibility to create PDF/A-2 files your documents are ready for long-term archiving.

**Scan and Fax Preview** allows to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.

**Barcode Printing** gives you the possibility to send print data from your ERP system directly to the MFP. The barcode sequence is automatically processed and printed without the need of additional middleware.



# CONFIGURATION



# HIGHLIGHTS

## Multi Station Print

Toshiba's serverless pull-printing solution allows you to spontaneously decide from which device you want to collect your documents. Simply go to any of the up to 50 connected systems, authenticate and print where it suits you best – without investing in and maintaining a dedicated server.

## Dual Scan Document Feeder

With an impressive capacity of 300 sheets of double sided documents and a maximum scan speed of up to 240 images per minute the standard DSDF will boost your productivity.

## Embedded Apps

The optional e-BRIDGE Plus apps e.g. for Microsoft OneDrive for Business, SharePoint Online or Exchange Online let you send your documents directly to or print from these cloud services via the MFP.

# SPECIFICATIONS

## General

<b>Print &amp; Copy Speed</b>	55/65/75/85 ppm (A4) 27/30/37/40 ppm (A3)
<b>Warm-up Time</b>	Approx. 15 seconds from low power mode
<b>Paper Size &amp; Weight</b>	Cassettes: A5R-320 x 460 mm, 60-256 g/m <sup>2</sup> Tandem LCF: A4, 60-256 g/m <sup>2</sup> Bypass: 100 x 148 mm-330 x 483 mm, 60-300 g/m <sup>2</sup> , banner paper (up to 313.4 x 1,200 mm, 90-163 g/m <sup>2</sup> )
<b>Paper Capacity</b>	2x 540 sheets (Cassettes) + 1x 2,320 sheets (Tandem LCF), 1x 120 sheets (Bypass) Maximum 6,020 sheets
<b>Automatic Duplex</b>	A5R, A4, A4R, A3, A3+ (305 x 457 mm), SRA3 (320 x 450 mm), 320 x 460 mm and other formats, 60-256 g/m <sup>2</sup>
<b>Controller Type</b>	Toshiba e-BRIDGE Next
<b>Control Panel</b>	26 cm (10.1") Multi-Touch Colour Panel
<b>Memory</b>	Toshiba Secure HDD 320 GB <sup>1)</sup> , 4 GB RAM
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN <sup>2)</sup> (IEEE802.11b/g/n), Bluetooth <sup>2)</sup> , Wi-Fi Direct <sup>2)</sup>
<b>Dimensions &amp; Weight</b>	955 x 698 x 1,227 mm (W x D x H), 195 kg

## Print

<b>Resolution</b>	600 x 600 dpi, 1 bit, 2,400 x 600 dpi with smoothing, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
<b>Page Description Language</b>	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PostScript 3 compatible
<b>Supported Systems</b>	Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix, Novell SLES, SAP, AS/400
<b>Network Protocols</b>	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
<b>Mobile Printing</b>	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
<b>Print Functions</b>	Universal Printer Driver, Driver Templates, Driver plug-ins <sup>2)</sup> , Print from USB, Hold print, Tandem printing, E-mail direct printing

## Scan

<b>Resolution</b>	Maximum 600 x 600 dpi
<b>Scan Speed</b>	Up to 240 ipm (300 dpi) in colour and monochrome via Dual Scan Document Feeder
<b>Scan Modes</b>	Auto-Colour (ACS), Colour, Greyscale, Monochrome
<b>File Formats</b>	JPEG, Multi/Single Page TIFF/XPS/PDF, SecurePDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF <sup>3)</sup> (and other formats like DOCX, XLSX) <sup>3)</sup>
<b>Scan Functions</b>	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan <sup>2)</sup> , OCR Scan <sup>2)</sup> , Scan to Box (e-Filing), WIA, TWAIN

## Copy

<b>Resolution</b>	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing
<b>First Copy Output Time</b>	Approx. 5.2/5.2/4.5/4.1 seconds
<b>Zoom</b>	25-400% (Platen), 25-200% (DSDF)
<b>Copy Modes</b>	Text, Text/Photo, Photo, Custom
<b>Copy Functions</b>	Electronic Sort, Rotate Sort, Edge Erase, 2-in-1 / 4-in-1 mode

## Fax<sup>2)</sup>

<b>Communication</b>	Super G3, G3 - (opt. 2 <sup>nd</sup> line), Internet Fax T.37
<b>Transmission Speed</b>	Approx. 3 seconds per page
<b>Compression</b>	JBIG, MMR, MR, MH
<b>Fax Memory</b>	1 GB (HDD) Transmission/Reception
<b>Network-Fax</b>	Driver for Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016, Windows Server 2012 R2/ Server 2012/Server 2008 R2 (64 bit)
<b>Incoming Fax Routing</b>	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

## System & Security

<b>Device Management</b>	e-BRIDGE Fleet Management System <sup>2)</sup> , Top Access for remote administration and configuration
<b>System Features</b>	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
<b>Accounting &amp; Security</b>	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader <sup>2)</sup> , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler <sup>2)</sup> , IP and MAC address filter, Port filter, Support of SSL and IPsec <sup>2)</sup> protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0 <sup>2)</sup> , Scan to Secure PDF, Pull-printing <sup>2)</sup>

# OPTIONS

<b>EXTERNAL LARGE CAPACITY FEEDER</b>	2,500-sheets capacity, A4, 60-256 g/m <sup>2</sup>
<b>MULTI-STAPLE FINISHER</b>	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
<b>SADDLE-STITCH FINISHER</b>	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet center folding Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
<b>HOLE PUNCH UNIT</b>	Available in 2 holes (E), 4 holes (F), 4 holes (S)

<b>SIDE EXIT TRAY</b>
<b>HARD DISK DRIVE 320 GB<sup>1)</sup> (FIPS 140-2 STANDARD)</b>
<b>ACCESSORY TRAY</b>
<b>PANEL TEN-KEY</b>
<b>FAX BOARD</b>
<b>WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct)</b>
<b>e-BRIDGE ID-GATE</b>
<b>DATA OVERWRITE ENABLER</b>
<b>IPsec ENABLER</b>
<b>EMBEDDED OCR ENABLER</b>
<b>MULTI STATION PRINT ENABLER</b>
<b>META SCAN ENABLER</b>
<b>UNICODE FONT ENABLER</b>
<b>ACCESSIBLE ARM</b>



<sup>1)</sup> 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

<sup>2)</sup> Optional

## About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

### **Toshiba Tec Germany Imaging Systems GmbH**

Carl-Schurz-Str. 7  
41460 Neuss  
Germany

### **Telephone**

+49 2131-1245-0

### **Website**

[www.toshibatec.eu](http://www.toshibatec.eu)



**Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.**

**It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.**

**We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.**

